

524-611

02/14/2013

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

EPA Reg. Number:	Date of Issuance:
524-611	2-14-13

Term of Issuance: Unconditional

Name of Pesticide Product:

GLY 135EA Technical Solution

Name and Address of Registrant (include ZIP Code):

Monsanto Company
1300 I (Eye) Street, NW
Suite 450 East
Washington, DC 20005

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration /registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable "Bo" Davis
Product Manager 25
Herbicide Branch, Registration Division (7505P)

Date:

2-14-13

2. Submit one copy of the final printed label for the record before you release the product for shipment.
3. Add the correct EPA Est. # and add the correct EPA Reg. # to the label.
4. Submit the results of the storage stability and corrosion characteristics studies to the Agency within 18 months of the date of this letter.

If these requirements are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358 or kraft.erik@epa.gov.

3/6

MASTER LABEL FOR EPA REG. NO. 524-XXX

Registered Brand Names: GLY 135EA Technical Solution

ACTIVE INGREDIENT:

*Glyphosate, in the form of its ethanolamine salt 69.8%


OTHER INGREDIENTS 30.2%

100.0%

*Contains 935 grams of the active ingredient glyphosate, in the form of its ethanolamine salt, per liter or 7.8 pounds per U.S. gallon, which is equivalent to 630 grams of the acid, glyphosate, per liter or 5.2 pounds per U.S. gallon (46.9% by weight).

EPA Reg. No. 524-XXX

EPA Est. [Enter EPA Establishment No.]



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep Out of Reach of Children

CAUTION!

In case of emergency involving this product, call collect, day or night (314) 694-4000.

Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazards

Store or mix this product in stainless steel, fiberglass, plastic and plastic-lined containers only.

DO NOT STORE, MIX OR USE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas, which can form a highly combustible gas mixture. This gas mixture could flash or explode if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source, and cause serious personal injury.

DIRECTIONS FOR USE

ESUBMISSION
Submitted July 31, 2012

It is a violation of Federal law to use this product any manner inconsistent with its labeling.

Use only for the manufacturing or formulating of, or repackaging as, an herbicide for use in aquatic, industrial, turf, ornamental nursery, tree and forestry, and residential sites, and/or for use in the following crops: Crop Groups 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19; acerola; aloe vera; ambarella; asparagus; atemoya; avocado; bamboo; banana; betelnut; biriba; blimbe; breadfruit; buffalo gourd; cacao (cocoa) bean; cactus; canistel; canola; carambola (starfruit); chaya; cherimoya; coconut; coffee; cotton; cranberry; custard apple; dates; dokudami; durian; epazote; feijoa; figs; flax; galangai; globe artichoke; Governor's plum; gow kee; grapes (raisin, table, wine); guava; hops; ilama; imbe; imbu; jaboticaba; jackfruit; jojoba; juneberry; kava; kenaf; kiwi; lesquerella; leucaena; lingonberry; longan; lychee; mamey apple; mango; mangosteen; marmaladebox (genip); meadowfoam; mioga; mountain papaya; mustard; noni (Indian mulberry); okra; olive; oregano; palm; papaya; passionfruit; pasture grasses pawpaw; peanut; pepper leaf; peppermint; perilla; persimmon; pine nut; pineapple; pistachio; plantain; pomegranate; pulasan; quinoa; rambutan; rape; rose apple; safflower; salai; sapodilla; sapote (black, mamay, white); sesame; sorghum (milo); soursop; soybean; Spanish lime; spearmint; star apple; stevia; strawberry; sugar apple; sugarbeet; sugarcane; sunflower; Surinam cherry; tamarind; tea; teff; ti; uglı fruit; wasabi; water spinach; watercress; wax jambu; yacon.

For use in the following glyphosate-tolerant crops: Roundup Ready Alfalfa; Roundup Ready Canola (Spring Varieties); Roundup Ready Canola (Winter Varieties); Roundup Ready corn; Corn Hybrids with Roundup Ready 2 Technology; Roundup Ready Cotton; Roundup Ready Flex Cotton; Roundup Ready Soybean; Roundup Ready 2 Yield Soybean; Roundup Ready Sweet Corn; Roundup Ready Sugarbeet

For the following uses: bermudagrass release; broadcast and spot weed control; chemical mowing; cut stump application; hollow stem injection; injection and frill; trim-and-edge; turfgrass renovation; site preparation; and other uses in, on or around the following sites: airports; apartment complexes; aquatic sites; commercial sites; construction sites; CRP land; ditch banks; dormant turfgrass; driveways; farmsteads; fencerows; forestry; golf courses; industrial sites; landscape areas; lumber yards; non-food tree, shrub, vine, and ornamentals production sites; nurseries; parking areas; parks, recreational and public areas; pastures; rangelands; residential sites; railroads; rights-of-way; roadsides; schools; sports complexes; turf and grass seed production; utility sites; wildlife food plots; woody brush and trees; and other related sites.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 32°F (0°C) TO KEEP FROM CRYSTALLIZING. Crystals will settle to the bottom. If crystals form, allow product to warm above 50°F (10°C) and mix well or recirculate to redissolve. In case of spill or leak, soak up product with an absorbent material and dispose of material in sanitary landfill or in accordance with applicable federal, state or local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product that cannot be used or chemically reprocessed must be disposed of in a landfill approved for pesticide disposal or in accordance with applicable federal, state or local procedures.

CONTAINER HANDLING AND DISPOSAL:

[CONTAINER HANDLING AND DISPOSAL STATEMENT AND REFILLING LIMITATION FOR NONREFILLABLE RIGID PLASTIC CONTAINERS OF LESS THAN 5-GALLON CAPACITY]
Nonrefillable container. Do not reuse or refill this container.
Triple rinse or pressure rinse (or equivalent) this container promptly after emptying.
Triple rinse as follows: Empty the remaining contents into formulating equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into formulating equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into formulating equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over formulating equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Once properly rinsed, offer this container for recycling, if available. If recycling is not available, dispose of in accordance with federal, state and local regulations and procedures, which may include puncturing the properly rinsed container and disposing in a sanitary landfill.

[CONTAINER HANDLING AND DISPOSAL STATEMENT AND REFILLING LIMITATION FOR NONREFILLABLE RIGID CONTAINERS OF GREATER THAN OR EQUAL TO 5-GALLON CAPACITY]

Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse (or equivalent) this container promptly after emptying.

Triple rinse as follows: Empty the remaining contents into formulating equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into formulating equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into formulating equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over formulating equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

Once properly rinsed, offer this container for recycling, if available, or reconditioning, if appropriate. If recycling is not available, dispose of in accordance with federal, state and local regulations and procedures, which may include puncturing the properly rinsed container and disposing in a sanitary landfill.

[CONTAINER HANDLING AND DISPOSAL STATEMENT AND REFILLING LIMITATION FOR ALL REFILLABLE CONTAINERS, EXCEPT TRANSPORT VEHICLES]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning this container before refilling is the responsibility of the refiller. Cleaning this container before final disposal is the responsibility of the person disposing of the container.

To clean the container before final disposal, empty the remaining contents from the container into formulating equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into formulating equipment or rinsate collection system. Repeat this rinsing procedure two more times. Once properly rinsed, offer this container for recycling, if available, or reconditioning, if appropriate, or dispose of in accordance with federal, state and local regulations and procedures.

[FOR ALL TRANSPORT VEHICLES AS DEFINED IN 40 CFR 156.3]

THIS LABEL FOR USE WITH TRANSPORT VEHICLES ONLY

Emptied container retains vapor and product residue. Observe all precautions stated on this label until the container is cleaned, reconditioned or destroyed. Prior to refilling, inspect carefully for damage such

as cracks, punctures, abrasions, and worn-out threads and closures. Clean thoroughly before reuse for transportation of a material of different composition or before retiring this transport vehicle from service.

LIMIT OF WARRANTY AND LIABILITY

Monsanto Company does not warrant any product reformulated or repackaged from this product except in accordance with this Company's stewardship requirements and with express written permission from Monsanto Company.

EPA Reg. No. 524-XXX

© [YEAR]

Packed For:

MONSANTO COMPANY
800 N. LINDBERGH BLVD.
ST. LOUIS, MO 63167, U.S.A.

LOT NO. [ALLOW BLANK FOR FILL IN]

PACKER [ALLOW BLANK FOR FILL IN]

NET [ALLOW BLANK FOR FILL IN] LB [or GALLONS]

[Alternative Net Contents statement for transport vehicle labeling only: NET CONTENTS See Bill of Lading]

[Print Plate Number]